

# First aid procedures

Review of what is different between the typical CSP protocols and the COVID-19 modified protocols.

- Basic Life Support (AR and CPR)

# Basic Life Support (AR and CPR)

## DRAFT

Extra measures must be taken to provide Basic Life Support in a COVID-19 world. One of the most stunning modification to our protocols is the removal of ventilations from the entire Artificial Respiration and Cardiopulmonary Resuscitation.

Based on the latest directives and discussions between CSP Yukon Zone instructors on October 16th (*BLS non covid vs covid procedures summary.doc*):

		Non	
time	mod	Covid	
		(normal)	
		Check	
am	BLS	No	
	vital	change	
	etc		

		Position of airway, jaw Clearing the airway as obstruction, etc, etc...
		Proper seal, correct equipment Re- (mask, breather A.R. rebreather, etc) with triangular , only rate etc, etc ...
		How, type Same no but blind must use wear Suction leaving, that surgical 5 mask, seconds, shield/eye etc pro etc..

		<p>Fit, size Same when how must inf wear OPAs gown, child rigid positioning, etc, faceshield/eye etc pro ...</p>
		<p>How to set up, O2 rate, fit for DO BVM, CNOT 1 USE or 2 person, points of failure (physical/mechanical)</p>

		Call ems as of needed, engage with patient, ab thru (back in close infant), size of to persis pres wor chest airway	Call as of needed, engage with patient, ab thru (back in close infant), size of to persis pres wor chest airway
PM	Choking A, C, D	king After go unconscious (look, listen and feel), attempt vent, chest compressions (back and chest in infant) at 30:2, etc, etc,...	king After go unconscious (look, listen and feel), attempt but <b>DO</b> <b>NOT</b> <b>VENTILATE</b> <b>use</b> <b>nasal</b> <b>prongs</b> <b>(cannula)</b> <b>only</b>

		Follow instructions, proper padNO placechange, AEDexcept use <b>NO</b> in <b>VENTILATIONS</b> AED certain location <b>rebreather</b> CPR <b>with</b> betw <b>O2</b> AED <b>only</b> checks, etc, etc,...
		NO change Conexpi rate <b>NO</b> CPR(30:2) A,C,position, etc <b>rebreather</b> etc <b>with</b> <b>O2</b> <b>only</b>
	CPR test	

...

	Traditional world	COVID-19 world
Artificial Respiration (AR)		
Suction		
Use of Oropharyngeal airway (OPA)		

Bag Valve Mask		