

COVID-19

There is a lot of information and changes happening because of COVID-19. We are aiming at consolidating a lot of it in this section. If you notice any outdated information, please let us know.

- **First aid procedures**
 - **Basic Life Support (AR and CPR)**

First aid procedures

Review of what is different between the typical CSP protocols and the COVID-19 modified protocols.

Basic Life Support (AR and CPR)

DRAFT

Extra measures must be taken to provide Basic Life Support in a COVID-19 world. One of the most stunning modification to our protocols is the removal of ventilations from the entire Artificial Respiration and Cardiopulmonary Resuscitation.

Based on the latest directives and discussions between CSP Yukon Zone instructors on October 16th (*BLS non covid vs covid procedures summary.doc*):

		Non timed CPR	COVID (normal)
am BLS	Check vital etc	No change	

		Position of airway, jaw Clearing the airway as obstruction, etc, etc...
		Proper seal, correct equipment Re- (mask, breather A.R. rebreather, etc) with triangular , only rate etc, etc ...
		How, type Same no but blind must use wear Suction leaving, that surgical 5 mask, seconds, shield/eye etc pro etc..

		<p>Fit, size Same when how must inf wear OPAs gown, child rigid positioning, etc, faceshield/eye etc pro ...</p>
		<p>How to set up, O2 rate, fit for DO BVM, CNOT 1 USE or 2 person, points of failure (physical/mechanical)</p>

PM

Call
ems
All
as of
needed,
above
engage
except...
with
patient,
ab NOT
thru
sit
(back
face
in close
infant),
size
theirs
of to
persisten
pres
look
won
and
chest
feel
airway
only
Choking
king
A, C, they
go After
unconscious
30
chest
(look,
listen
compressions
and look
feel),
and
attempt
feel
but
vent,
DO
chest
NOT
compressions
VENTILATE
(back
and
use
chest
in **nasal**
infant) **prongs**
at **(cannula)**
30:2, **only**
etc,
etc,...

		Follow instructions, proper padNO placechange, AEDexcept use NO in VENTILATIONS certain locations, rebreather CPR with O2 between AED only checks, etc, etc,...
		NO change Consciousness rate NO CPR(30:2), A,C,position, etc rebreather etc. with O2 only
	CPR test	

...

	Traditional world	COVID-19 world
Artificial Respiration (AR)		
Suction		
Use of Oropharyngeal airway (OPA)		

Bag Valve Mask		