

# COVID-19

There is a lot of information and changes happening because of COVID-19. We are aiming at consolidating a lot of it in this section. If you notice any outdated information, please let us know.

- **First aid procedures**
  - **Basic Life Support (AR and CPR)**

# First aid procedures

Review of what is different between the typical CSP protocols and the COVID-19 modified protocols.

# Basic Life Support (AR and CPR)

**DRAFT**

Extra measures must be taken to provide Basic Life Support in a COVID-19 world. One of the most stunning modification to our protocols is the removal of ventilations from the entire Artificial Respiration and Cardiopulmonary Resuscitation.

Based on the latest directives and discussions between CSP Yukon Zone instructors on October 16th (*BLS non covid vs covid procedures summary.doc*):

		Non timed (normal)	COVID
am BLS	Check vital etc	No change	

		Position of airway, jaw Clearing the airway as obstruction, etc, etc...
		Proper seal, correct equipment Re- (mask, breather A.R. rebreather, etc) with triangular , only rate etc, etc ...
		How, type Same no but blind must use wear Suction leaving, that surgical 5 mask, seconds etc pro etc..

		<p>Fit, size, Same when how must inf wear OPAs gown, child, rigid positioning, etc, faceshield/eye etc pro ...</p>
		<p>How to set up, O2 rate, fit for DO BVM, CNOT 1 USE or 2 person, points of failure (physical/mechanical)</p>

		Call ems as of needed, engage with patient, ab thru (back in close infant), size of to persis pres work chest airway	Call as of needed, engage with patient, ab thru (back in close infant), size of to persis pres work chest airway
PM	Choking A, C, D	king After go unconscious (look, listen and feel), attempt vent, chest compressions (back and chest in infant) at 30:2, etc, etc,...	king After go unconscious (look, listen and feel), attempt but <b>DO</b> <b>NOT</b> <b>VENTILATE</b> <b>use</b> <b>nasal</b> <b>prongs</b> <b>(cannula)</b> <b>only</b>

		Follow instructions, proper padNO placechange, AEDexcept use <b>NO</b> in <b>VENTILATIONS</b> AED certain location <b>rebreather</b> CPR <b>with</b> betw <b>O2</b> AED <b>only</b> checks, etc, etc,...
		NO change Conexpi rate <b>NO</b> CPR(30:2) A,Cposition, etc <b>rebreather</b> etc <b>with</b> <b>O2</b> <b>only</b>
	CPR test	

...

	Traditional world	COVID-19 world
Artificial Respiration (AR)		
Suction		
Use of Oropharyngeal airway (OPA)		

Bag Valve Mask		