

# COVID-19

There is a lot of information and changes happening because of COVID-19. We are aiming at consolidating a lot of it in this section. If you notice any outdated information, please let us know.

- **First aid procedures**
  - **Basic Life Support (AR and CPR)**

# First aid procedures

Review of what is different between the typical CSP protocols and the COVID-19 modified protocols.

# Basic Life Support (AR and CPR)

**DRAFT**

Extra measures must be taken to provide Basic Life Support in a COVID-19 world. One of the most stunning modification to our protocols is the removal of ventilations from the entire Artificial Respiration and Cardiopulmonary Resuscitation.

Based on the latest directives and discussions between CSP Yukon Zone instructors on October 16th (*BLS non covid vs covid procedures summary.doc*):

		Non timed (normal)	COVID timed
am BLS	Check vital etc	No change	

		Position of airway, jaw Clearing the airway as obstruction, etc, etc...
		Proper seal, correct equipment Re- (mask, breather A.R. rebreather, etc) with triangular , only rate etc, etc ...
		How, type Same no but blind must use wear Suction leaving, that surgical 5 mask, seconds, shield/eye etc pro etc..

		<p>Fit, size Same when how must inf wear OPAs gown, child rigid positioning, etc, faceshield/eye etc pro ...</p>
		<p>How to set up, O2 rate, fit for DO BVM, CNOT 1 USE or 2 person, points of failure (physical/mechanical)</p>

PM

Call  
ems  
All  
as of  
needed,  
above  
engage  
except...  
with  
patient,  
ab NOT  
thru  
unit  
(back  
face  
in close  
infant),  
size  
theirs  
of to  
persisten  
pres  
**look**  
work  
**and**  
chest  
**feel**  
airway  
**only**  
Choking  
king  
A, C, they  
go After  
unconscious  
30  
chest  
(look,  
compressions  
listen  
look  
and  
feel),  
and  
attempt  
feel  
but  
vent,  
**DO**  
chest  
**NOT**  
compressions  
**VENTILATE**  
(back  
and  
use  
chest  
in **nasal**  
infant) **prongs**  
at **(cannula)**  
30:2, **only**  
etc,  
etc,...

		Follow instructions, proper padNO placechange, AEDexcept use <b>NO</b> in <b>VENTILATIONS</b> certain locations, <b>rebreather</b> CPR <b>with</b> <b>O2</b> between AED <b>only</b> checks, etc, etc,...
		NO change Consciousness rate <b>NO</b> CPR(30:2), A,C,position, etc <b>rebreather</b> etc. <b>with</b> <b>O2</b> <b>only</b>
	CPR test	

...

	Traditional world	COVID-19 world
Artificial Respiration (AR)		
Suction		
Use of Oropharyngeal airway (OPA)		

Bag Valve Mask		